

Stationary Fume Packages

Single Arm

Statiflex® 200-M with MERV 14 Filter Single Arm One-Pak® Packages



with LFA 3.1 10 ft Arm*
[K4261-2]

Most Economical



with LTA 2.0 3.0-4.5 ft Telescopic Arm*
[K4261-4]

Positionable Arms
for maximum flexibility



with LTA 2.0-CW 5.0-8.2 ft Telescopic, CW Arm*
[K4261-5]



with LFA 4.1 13 ft Arm
[K4261-3]

Longer Arms
for extra reach



with LFA 3.1 10 ft Arm* and
Lamp Kit with Arc Sensor
[K4261-6]

Light Package
for increased visibility



with LTA 2.0 3.0-4.5 ft Telescopic Arm*
and Lamp Kit with Arc Sensor
[K4261-7]

*Images may not reflect the identified fume extraction arm.
MC16-133 12/16 ©Lincoln Global, Inc. All Rights Reserved.



Stationary Fume Packages

Dual Arm

Statiflex 200-M with MERV 14 Filter Dual Arm One-Pak Packages



with LFA 3.1 10 ft Arm
(K4261-8)

Most Economical



with LTA 2.0 3.0-4.5 ft Telescopic Arm
(K4261-10)

Positionable Arms
for maximum flexibility



with LTA 2.0-CW 5.0-8.2 ft Telescopic, CW Arm
(K4261-11)



with LFA 4.1 13 ft Arm
(K4261-9)

Longer Arms
for extra reach



with LFA 3.1 10 ft Arm
and Lamp Kit with Arc Sensor
(K4261-12)

Light Package
for increased visibility



with LTA 2.0 3.0-4.5 ft Telescopic Arm
and Lamp Kit with Arc Sensor
(K4261-13)

PACKAGES – WHAT'S INCLUDED

● Included ●● 2 included

Description	Product Number	Statiflex 200-M with MERV 14 filter Base Unit		Arm Size/Type				Arc Lamp Kit/Sensor [K1669-4]	Starter Overload Switch [K1494-2]	Wall Mounting Bracket [K1657-1]	Wall Mounting Bracket [K1657-2]	SF 2400 Stationary Fan [K1656-9]
		Single Arm [K1654-4]	Dual Arm [K1654-5]	LFA 3.1 10 ft [K1655-8]	LFA 4.1 13 ft [K1655-9]	LTA 2.0 Telescopic [K1655-10]	LTA 2.0 CW Counter Weight [K1655-14]					
Single-arm Statiflex 200-M with MERV 14 Filter												
Statiflex 200-M (MERV 14 Filter) LFA 3.1 10 ft. Single Arm One-Pak®	K4261-2	●		●					●	●		●
Statiflex 200-M (MERV 14 Filter) LFA 3.1 10 ft. Single Arm and Arc Sensor/Lamp Kit One-Pak	K4261-6	●		●				●		●		●
Statiflex 200-M (MERV 14 Filter) LFA 4.1 13 ft. Single Arm One-Pak	K4261-3	●			●				●	●		●
Statiflex 200-M (MERV 14 Filter) LTA 2.0 3.0-4.5 ft. Telescopic Single Arm One-Pak	K4261-4	●				●			●		●	●
Statiflex 200-M (MERV 14 Filter) LTA 2.0-CW 5.0-8.2 ft. Telescopic, CW Single Arm One-Pak	K4261-5	●					●		●			●
Statiflex 200-M (MERV 14 Filter) LTA 2.0 3.0-4.5 ft. Telescopic Single Arm and Light Kit One-Pak	K4261-7	●						●			●	●
Dual-arm Statiflex 200-M with MERV 14 Filter												
Statiflex 200-M (MERV 14 Filter) LFA 3.1 10 ft. Dual Arm One-Pak	K4261-8		●	●●					●●	●●		●●
Statiflex 200-M (MERV 14 Filter) LFA 3.1 10 ft. Dual Arm and Arc Sensor/Lamp Kit One-Pak	K4261-12		●	●●				●●		●●		●●
Statiflex 200-M (MERV 14 Filter) LFA 4.1 13 ft. Dual Arm One-Pak	K4261-9		●		●●				●●	●●		●●
Statiflex 200-M (MERV 14 Filter) LTA 2.0 3.0-4.5 ft. Telescopic Dual Arm One-Pak	K4261-10		●			●●			●●		●●	●●
Statiflex 200-M (MERV 14 Filter) LTA 2.0-CW 5.0-8.2 ft. Telescopic, CW Dual Arm One-Pak	K4261-11		●				●●		●●			●●
Statiflex 200-M (MERV 14 Filter) LTA 2.0 3.0-4.5 ft. Telescopic Dual Arm and Arc Sensor/Lamp Kit One-Pak	K4261-13		●				●●	●●			●●	●●

The operation of welding fume control equipment is affected by various factors including proper use and positioning of the equipment, maintenance of the equipment and the specific welding procedure and application involved. Worker exposure level should be checked upon installation and periodically thereafter to be certain it is within applicable OSHA PEL and ACGIH TLV limits.

CUSTOMER ASSISTANCE POLICY

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.com for any updated information.